

# Ex. 5 Deliberative Process (DP)

---

**From:** d'Almeida, Carolyn K.

**Sent:** Monday, January 23, 2017 1:02 PM

**To:** Davis, Eva <[Davis.Eva@epa.gov](mailto:Davis.Eva@epa.gov)>; Wayne Miller <[Miller.Wayne@azdeq.gov](mailto:Miller.Wayne@azdeq.gov)>; Stralka, Daniel <[Stralka.Daniel@epa.gov](mailto:Stralka.Daniel@epa.gov)>

**Cc:** 'steve@uxopro.com' <[steve@uxopro.com](mailto:steve@uxopro.com)>

**Subject:** RE: ST012 weekly report ending December 9, 2016

Dan

Please see Eva's comment below. PID at LSZ59/UWBZ40 is 3.7 at 10 feet and 6.3 at 15 feet. I might be more concerned by LSZ 61 /SB19 next to Army Reserve building hydrocarbon odor noted from 20-40 ft bgs, PID 305 at 35'

---

**From:** Davis, Eva

**Sent:** Monday, January 23, 2017 12:45 PM

**To:** d'Almeida, Carolyn K. <[dAlmeida.Carolyn@epa.gov](mailto:dAlmeida.Carolyn@epa.gov)>; Wayne Miller <[Miller.Wayne@azdeq.gov](mailto:Miller.Wayne@azdeq.gov)>

**Cc:** 'steve@uxopro.com' <[steve@uxopro.com](mailto:steve@uxopro.com)>

**Subject:** FW: ST012 weekly report ending December 9, 2016

Carolyn –

Note the perimeter monitoring well temperature data on page 9 of this report. All of the wells showed significant increases in temperature. This is likely a sign that higher concentrations of contaminants are also headed for the perimeter wells –

Note also that boring LSZ59/UWBZ40 has PID reading starting at 10 ft bgs – is there a PID screening criteria for hydrocarbons for vapor intrusion? This boring appears to be near a building –

---

**From:** Smallbeck, Donald R. [<mailto:Donald.Smallbeck@amecfw.com>]

**Sent:** Monday, January 23, 2017 9:47 AM

**To:** 'Wayne Miller' <[Miller.Wayne@azdeq.gov](mailto:Miller.Wayne@azdeq.gov)>; d'Almeida, Carolyn K. <[dAlmeida.Carolyn@epa.gov](mailto:dAlmeida.Carolyn@epa.gov)>

**Cc:** Davis, Eva <[Davis.Eva@epa.gov](mailto:Davis.Eva@epa.gov)>; (Geoffrey.Watkin@cn-bus.com) <[Geoffrey.Watkin@cn-bus.com](mailto:Geoffrey.Watkin@cn-bus.com)>; JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW <[catherine.jerrard@us.af.mil](mailto:catherine.jerrard@us.af.mil)>; Pearson, Stuart C.

<[Stuart.Pearson@amecfw.com](mailto:Stuart.Pearson@amecfw.com)>; 'Brasaemle, Karla' <[KBrasaemle@TechLawInc.com](mailto:KBrasaemle@TechLawInc.com)>; 'Rohrbaugh, Amanda'

<[ARohrbaugh@TechLawInc.com](mailto:ARohrbaugh@TechLawInc.com)>; Levine, Herb <[Levine.Herb@epa.gov](mailto:Levine.Herb@epa.gov)>; 'steve@uxopro.com' <[steve@uxopro.com](mailto:steve@uxopro.com)>

**Subject:** ST012 weekly report ending December 9, 2016

BCT members

Please find attached for your information the preliminary weekly report describing ST012 activities for the week ending December 9, 2016.

D.R. Smallbeck  
Principal Program Manager  
Construction Remediation

Amec Foster Wheeler  
4600 E Washington Street, Suite 600  
Phoenix, Arizona 85034  
Tel: 602-733-6040  
Cell: 707-480-7212  
[Donald.Smallbeck@amecfw.com](mailto:Donald.Smallbeck@amecfw.com)  
amecfw.com



This message is the property of Amec Foster Wheeler plc and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorised use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system. This disclaimer applies to any and all messages originating from us and set out above. If you do not wish to receive future unsolicited commercial electronic messages from us, **please forward this email to: unsubscribe**Error! Filename not specified.**@Error! Filename not specified.amecfw.**Error! Filename not specified.**com and include "Unsubscribe" in the subject line.** If applicable, you will continue to receive invoices, project communications and similar factual, non-commercial electronic communications.

Please click <http://amecfw.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.